

# MEGADOCK-on-Colab: an easy-to-use protein-protein docking tool on Google Colaboratory

Masahito Ohue<sup>1,\*</sup>

<sup>1</sup>Department of Computer Science, School of Computing, Tokyo Institute of Technology, G3-56 4259 Nagatsutacho, Midori-ku, Yokohama City, Kanagawa 226-8503, Japan

\*To whom correspondence should be addressed.

## Abstract

**Motivation:** Since the advent of ColabFold, numerous software packages have been provided with Google Colaboratory-compatible ipynb files, allowing users to effortlessly test and reproduce results without the need for local installation or configuration. MEGADOCK, a protein-protein docking tool, is particularly well-suited for Google Colaboratory due to its lightweight computations and GPU acceleration capabilities. To increase accessibility and promote widespread use, it is crucial to provide a computing environment compatible with Google Colaboratory.

**Results:** In this study, we report the development of a Google Colaboratory environment for running our protein-protein docking software, MEGADOCK. We provide a comprehensive ipynb file, including the compilation of MEGADOCK with the FFTW library installation on Colaboratory, the introduction of related tools using PyPI/apt, and the execution and visualization of docking structures. This streamlined environment enables users to visualize docking structures with just one click.

**Availability:** The code is available under a CC-BY NC 4.0 license from <https://github.com/ohuelab/MEGADOCK-on-Colab>.

**Keywords:** protein-protein docking, protein-protein interaction, MEGADOCK, Google Colaboratory

**Contact:** ohue@c.titech.ac.jp

---

## 1 Introduction

Understanding protein-protein interactions is of paramount importance for elucidating complex biological phenomena and identifying potential drug targets. MEGADOCK (Ohue *et al.*, 2014) is a protein docking software developed by our team to accurately predict protein-protein interactions. Designed to function on Linux-based systems, MEGADOCK supports GPU computing via CUDA and parallel computing on cluster machines. These capabilities render it particularly suitable for conducting comprehensive prediction validations, including one-to-many and many-to-many protein interactions (Aoyama *et al.*, 2020). In this paper, we introduce MEGADOCK-on-Colab, a tool that facilitates the execution of MEGADOCK on Google Colaboratory (hereinafter referred to as Colaboratory).

Colaboratory (<https://colab.research.google.com>) is a Jupyter Notebook hosting service provided by Google Research, enabling users to compose and execute Python code directly within their web browsers. This versatile service caters to a wide range of applications, including machine learning, data analysis, and education, while offering complimentary access to accelerators such as GPUs. Each computing environment is provisioned as a virtual machine (VM) with root privileges and is subsequently discarded after use, thereby permitting flexible installation of libraries and external tools. The implementation of AlphaFold2 (Jumper *et al.*, 2021) and ColabFold (Mirdita *et al.*, 2022) via Colaboratory has enticed a growing number of life science researchers to utilize

the platform. Notably, since the emergence of ColabFold, an increasing array of software packages have been accompanied by Colaboratory-compatible .ipynb files, enabling users to effortlessly test and reproduce results without necessitating local installation or configuration (e.g., small-molecule docking software DiffDock (Corso *et al.*, 2023)).

In this study, we have successfully established a Colaboratory environment for executing MEGADOCK. We furnish a comprehensive ipynb file encompassing the compilation of MEGADOCK, inclusive of the installation of the FFTW library on Colaboratory, the incorporation of pertinent tools via PyPI/apt, and the execution and visualization of docking structures within the Colaboratory framework. This streamlined environment empowers users to visualize docking structures with a single click.

## 2 Implementation

The following is a step-by-step explanation of the MEGADOCK-on-Colab process flow and implementation method.

### 2.1 Preparation for input

In Colaboratory, user interfaces can be added to Python variables using annotations such as `#@param{type:"string"}`. For instance, by writing:

```
R_pdb_id = "1CGI" #@param {type:"string"}
```

An input form for the variable `R_pdb_id` can be displayed with the pre-filled value of “ICGI”. Using this approach, we have configured the tool to accept two PDB IDs and chain names as input forms. Additionally, we incorporated input forms to receive the main arguments for MEGADOCK. The reason for preparing these inputs prior to tool installation is to ensure that the input forms are displayed as close to the top of the Jupyter Notebook as possible, making users aware of their presence.

## 2.2 Installation of MEGADOCK on Colaboratory VM

Next, we install the GPU version of MEGADOCK on the Colaboratory VM as follows. System commands can be used in Colaboratory by adding a ‘!’ prefix.

```
!git clone https://github.com/akiyamalab/MEGADOCK
!git clone https://github.com/NVIDIA/cuda-samples
!apt install -y libfftw3-dev libfftw3-single3
%cd ./MEGADOCK
!make -j 2 -f Makefile.colab
```

Since the operating system is based on Ubuntu, apt can be used (to determine the actual OS being used, run commands like `!cat /etc/os-release`). Note that the NVIDIA drivers and CUDA are pre-installed (to check the available GPU and CUDA version, execute `!nvidia-smi`).

## 2.3 Downloading PDB Files

We download the specified PDB files from the Protein Data Bank using `wget` and use Biopython (Cock *et al.*, 2009) to extract the specified chains. Biopython is available on PyPI and can be installed as follows:

```
!pip install biopython
```

## 2.4 Executing MEGADOCK

MEGADOCK can be executed with the following command:

```
!./megadock-gpu -R $MDPDBR -L $MDPDBL -t $MDT -N $MDN -o $MDOF
```

Please note that the arguments need to be passed from Python to the shell environment variables. For instance, we can set the values beforehand using something like: `os.environ['MDPDBR'] = pdbr`

## 2.5 Visualizing Predictions

NGLView (Nguyen *et al.*, 2018) is a molecular viewer that operates within Jupyter Notebook. It is available through PyPI and can be installed with the following command:

```
!pip install nglview
```

To visualize the output.pdb file, use the following code:

```
from google.colab import output
output.enable_custom_widget_manager()
import nglview as nv
view = nv.show_structure_file("output.pdb")
view
```

## 3 Results

Figures 1 and 2 showcase example screenshots of MEGADOCK-on-Colab. Upon entering the requisite information, such as files and parameters, into the initial input form, users can automatically execute the entire series of processes by selecting the “Run all” option. As of April 2023, the free version of Colaboratory frequently assigns an NVIDIA Tesla T4 GPU to its virtual environments. Utilizing the Tesla T4 GPU, the MEGADOCK docking calculation for PDB 1CGI chain E (consisting of 245 residues) and 1CGI chain I (comprising 56 residues) required approximately 5 seconds. The processing time for non-docking calculations, encompassing installation procedures, amounted to roughly 60 seconds. Additionally, although we have demonstrated how to execute the program using specified PDB IDs, it is also possible for users to upload their own PDB files and perform the docking calculations.

In this study, we have delineated a method for constructing an execution environment on Colaboratory, utilizing MEGADOCK as a representative example. Owing to its virtual nature, Colaboratory mitigates concerns regarding potential damage to the environment arising from installation failures, while consistently furnishing a nearly identical computing environment. This substantially contributes to guaranteeing the reproducibility and enhancing the convenience of software utilization. As evidenced in the present study, Colaboratory supports not only Python-based programs but also the compilation of diverse programming languages, execution of binary files, and implementation of system commands, effectively operating as a GPU-equipped server. In light of the ongoing development of an extensive array of GPU-compatible libraries, including those for deep learning, sharing reproducible execution environments on Colaboratory is progressively becoming a standard practice in software publication.

## Funding

This work has been supported by the JST FOREST (JPMJFR216J).

*Conflict of Interest:* none declared.

## References

- Aoyama,K., Watanabe,H., Ohue, M., Akiyama, Y. (2020) Multiple HPC environments-aware container image configuration workflow for large-scale all-to-all protein-protein docking calculations. In *Proc SCFA2020, LNCS*, **12082**, 23–39.
- Cock,P.J., Antao,T., Chang,J.T., *et al.* (2009). Biopython: freely available Python tools for computational molecular biology and bioinformatics. *Bioinformatics*, **25**(11), 1422–1423.
- Corso,G., Stärk,H., Jing,B., *et al.* (2022) DiffDock: Diffusion Steps, Twists, and Turns for Molecular Docking. In *Proc ICLR2013*, [https://openreview.net/forum?id=kKF8\\_K-mBbS](https://openreview.net/forum?id=kKF8_K-mBbS).
- Jumper,J., Evans,R., Pritzel,A., *et al.* (2021) Highly accurate protein structure prediction with AlphaFold. *Nature*, **596**(7873), 583–589.
- Mirdita,M., Schütze,K., Moriwaki,Y., *et al.* (2022) ColabFold: making protein folding accessible to all. *Nat Methods*, **19**(6), 679–682.
- Nguyen,H., Case,D.A., Rose,A.S. (2018) NGLview-interactive molecular graphics for Jupyter notebooks. *Bioinformatics*, **34**(7), 1241–1242.
- Ohue,M., Shimoda,T., Suzuki,S., *et al.* (2014) MEGADOCK 4.0: an ultra-high-performance protein-protein docking software for heterogeneous supercomputers. *Bioinformatics*, **30**(22), 3281–3283.



MEGADOCK\_on\_Colab.ipynb  
File Edit View Insert Runtime Tools Help

+ Code + Text Copy to Drive

## MEGADOCK on Google Colaboratory

Protein-protein docking with MEGADOCK on Google Colaboratory  
MEGADOCKによるタンパク質間ドッキングをGoogle Colaboratoryで実行する

MEGADOCK 4 <https://github.com/akiyamalab/MEGADOCK>  
Ohue M, et al. *Bioinformatics*, 30(22): 3281-3283, 2014. <http://doi.org/10.1093/bioinformatics/btu532>  
License: MEGADOCK is licensed by CC BY-NC 4.0. MEGADOCK and its derivatives are NOT allowed for any commercial use without formal prior authorization by Tokyo Institute of Technology.

Input protein PDB IDs and chain names, then hit Runtime → Run all.  
入力する2つのタンパク質のPDB IDとchain名を入力し、ランタイム → すべてのセルを実行 をクリックしてください。

▶ Receptor PDB (-R)

R\_pdb\_id: "1CGI"

R\_chain: "E"

Ligand PDB (-L)


L\_pdb\_id: "1CGI"

L\_chain: "I"


MEGADOCK parameters (if you want to change)

t: "3"

Fig. 1. MEGADOCK-on-Colab input form.



✓ [7]  
19s



▶ PPI score calculation (for protein-protein interaction prediction)

✓ [8]  
0s Show code

dock.out, E = 15.0918, 10800 decoys

Fig. 2. Visualization with NGLView in MEGADOCK-on-Colab.